

BEST AVAILABLE COPY

| SEARCHED | | | |
|----------|--------|---------|-------|
| Class | Sub. | Date | Exmr. |
| 205 | 77.5 | 7-1-03 | KKO |
| ↓ | 778 | ↓ | ↓ |
| 204 | 403.01 | ↓ | ↓ |
| 435 | 7.21 | ↓ | ↓ |
| ↓ | 173.4 | ↓ | ↓ |
| ↓ | 287.3 | ↓ | ↓ |
| updated, | | 3-27-04 | KKO |

| INTERFERENCE SEARCHED | | | |
|-----------------------|----------------|---------|-------|
| Class | Sub. | Date | Exmr. |
| 205 | 777.5 | 3-29-04 | KKO |
| ↓ | 778 | ↓ | ↓ |
| 204 | 403.01 | ↓ | ↓ |
| 435 | 7.21 | ↓ | ↓ |
| ↓ | 173.4 | ↓ | ↓ |

| SEARCH NOTES (INCLUDING SEARCH STRATEGY) | | |
|--|--------|-------|
| | Date | Exmr. |
| inventor name search | 7-1-03 | KKO |
| BRS search of USPAT database (see enclosed report) | ↓ | ↓ |
| STN search of CAPLUS, MEDLINE & BIOSIS (see enclosed report) | ↓ | ↓ |